

Acor, LLC
Analysis of Material Properties
Microcel Puff[®] 35 Color Mix 5/19/2023
Doc: PUFF00342YRBG_05192023

Microcel Puff[®] 35 Color Mix Typical Properties

Physical Property	Method	Result
Density (pcf)	ASTM D3575	6.8
Compression Deflection 25% (psi)	ASTM D3575	33
Compression Deflection 50% (psi)	ASTM D3575	50.1
Compression Set 50% (%)	ASTM D3575	3.9
Tensile Strength (psi)	ASTM D3574	197.8
Elongation (%)	ASTM D3574	123.6
Tear Strength (lb/in)	ASTM D624	33.9
Shore OO	ASTM D2240	79
Shore A	ASTM D2240	38

Testing results and data apply to the sample as tested. These results may not be indicative of product performance where conditions are not equivalent to lab test conditions. It is the user's responsibility to determine the suitability of any product for their own purpose.